

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9300

Reporting Period From January 1, 2019 to December 31, 2019

Annual Update Revised Facility Information has changed from the last submission

Facility Identification				Owner/Operator Details			
Facility ID:	9300	Lat/Long:	41.938003/-71.273421	Name:	LeachGarner		
Facility Name:	LeachGarner			Address:	49 Pearl Street		
Maximum Occupants:	63	Nature of Business:	Nonferrous Metal (except Copper and Aluminum) Rolling, Drawing, and Extruding		Attleboro, MA 02703, United States		
Physical Location:	200 East Street, Attleboro, MA 02703			Phone:	508-222-7400	Email:	manderson@leachgarner.com
County:	Bristol County	NAICS Code:	331491	Parent Company Details			
Fire Department:		SIC Code:		Name:			
Phone:	508-222-7400 x 1451	Dun and Brad No:	001208933	Dun and Brad No:	00-120-89	Address:	MA , United States
<input checked="" type="checkbox"/> Manned <input type="checkbox"/> Unmanned		EIN ID(Tax Number):		Phone:		Email:	
Email:		FTE:		Tier II Information Contact			
Subject to EPCRA Section 312 (Annual Inventory)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			Name:	Martin Anderson		
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			Title:	HSE Manager		
Subject to Section 112r of Clean Air Act (CAA)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			Phone:	508-699-5770	24 Hr.Phone:	508-699-5770
RMP Facility ID:				Email:	manderson@leachgarner.com		
Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No						
TRI Facility ID:	02703LCHGR200EA			Facility Emergency Planning Coordinator			
Mailing Address							
Company Name:	LeachGarner			Name:	Martin Anderson		
Attention:				Title:	HSE Manager		
Street Address 1:	49 Pearl Street			Phone:	508-699-5770	24 Hr.Phone:	508-699-5770
Street Address 2:				Email:	manderson@leachgarner.com		
City:	Attleboro	State:	MA				
Zip:	02703	Phone:	508-222-7400				
Country:	United States						
Emergency Contacts							
Name	Title	Phone	24 Hr.Phone	Email			
Paul Haggerty	Maintenance Supervisor	508-223-9661	508-223-9661	phaggerty@leachgarner.com			
Kristina Ranieri	VP of Operations	508-838-5929	508-838-5929	kranieri@leachgarner.com			
Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 7, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.							Optional Attachments
Stacey Snow, Senior Environmental Compliance Engineer Name and official title of owner/operator or authorized representative							<input type="checkbox"/> Site Plan <input type="checkbox"/> Site Coordinate Abbreviations <input type="checkbox"/> Other Safeguard measures <input type="checkbox"/> Facility Emergency Response Plan
		2/18/2020 2:56:06 PM	401-330-1205	Stacey Snow			
		Date Signed	Telephone Number	Signature			

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9300
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 166715 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 7664-93-9 Trade Secret: <input type="checkbox"/> Chemical Name: Lead Acid Batteries EHS: <input type="checkbox"/> Contains EHS: <input checked="" type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input checked="" type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input checked="" type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input checked="" type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input checked="" type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 400 Max Daily Amt Code: 02 Avg Daily Amt (lbs): 400 Avg Daily Amt Code: 02 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[R]Other Desc: Battery</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Forklift and UPS batteries located through plant</td> <td></td> <td></td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Forklift and UPS batteries located through plant						
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[R]Other Desc: Battery	[1]Ambient pressure	[4]Ambient temperature	Forklift and UPS batteries located through plant														

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9300
Reporting Period From January 1, 2019 to December 31, 2019

SHIPMENT DETAILS

Mode of Shipment:	Trucks	Maximum Capacity Per Vessel:	20	Carrier:	Varies
Shipment Frequency Count:	4	Maximum Shipment Quantity at One Time:	20	Carrier Address:	Varies, Varies, MA Varies
Shipment Frequency Period:	Year	Average Annual Shipment Quantity:	80	Carrier Phone:	111-111-1111
Physical State In Transit:	Liquid	Routes of Travel:	Batteries are provided by forklift or UPS system maintenance contractors and routes vary		
				Carrier 24 Hr Phone:	111-111-1111

MIXTURE COMPONENTS

Chemical Name	%	CAS #	EHS	EHS Name	Max Daily Amount (lbs)	Max Daily Amount Code
Lead	55	7439-92-1	<input type="checkbox"/>		220	02
Sulfuric acid	20	7664-93-9	<input checked="" type="checkbox"/>	Sulfuric acid	80	01

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9300
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards															
Chemical ID: 166712 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 7727-37-9 Trade Secret: <input type="checkbox"/> Chemical Name: Nitrogen (Liquified) EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas MSDS / SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input checked="" type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input checked="" type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)															
Inventory	Storage Codes & Location																
Max Daily Amt (lbs): 60705 Max Daily Amt Code: 08 Avg Daily Amt (lbs): 45529 Avg Daily Amt Code: 07 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[A]Above ground tank</td> <td>[2]Greater than ambient pressure</td> <td>[7]Cryogenic conditions</td> <td>Outside at Northwest corner of building</td> <td></td> <td>60705</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Outside at Northwest corner of building		60705				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)												
[A]Above ground tank	[2]Greater than ambient pressure	[7]Cryogenic conditions	Outside at Northwest corner of building		60705												
SHIPMENT DETAILS																	
Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:															

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9300
 Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards
Chemical ID: 166714 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: N/A Trade Secret: <input type="checkbox"/> Chemical Name: Oil EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input checked="" type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)

Inventory	Storage Codes & Location
-----------	--------------------------

Max Daily Amt (lbs): 19149 Max Daily Amt Code: 06 Avg Daily Amt (lbs): 19149 Avg Daily Amt Code: 06 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[D]Steel drum</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Oil Storage Area</td> <td></td> <td></td> </tr> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Press Hydraulic Reservoirs</td> <td></td> <td></td> </tr> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Transformers</td> <td></td> <td></td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Oil Storage Area			[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Press Hydraulic Reservoirs			[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Transformers		
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																				
[D]Steel drum	[1]Ambient pressure	[4]Ambient temperature	Oil Storage Area																						
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Press Hydraulic Reservoirs																						
[A]Above ground tank	[1]Ambient pressure	[4]Ambient temperature	Transformers																						

SHIPMENT DETAILS

Mode of Shipment: Shipment Frequency Count: Shipment Frequency Period: Physical State In Transit:	Maximum Capacity Per Vessel: Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: Routes of Travel:	Carrier: Carrier Address: Carrier Phone: Carrier 24 Hr Phone:
--	--	--

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9300
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Description	Physical Hazards	Health Hazards																					
Chemical ID: 166713 Check if Chemical Information is changed from the last submission: <input type="checkbox"/> CAS #: 7664-93-9 Trade Secret: <input type="checkbox"/> Chemical Name: Sulfuric acid EHS: <input checked="" type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/> EHS Name: Sulfuric acid <input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas MSDS /SDS Chemical Added On: Check if the chemical is below reporting threshold: <input type="checkbox"/>	<input type="checkbox"/> Combustible dust <input checked="" type="checkbox"/> Corrosive to metal <input type="checkbox"/> Explosive <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) <input type="checkbox"/> Gas under pressure <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> In contact with water emits flammable gas <input type="checkbox"/> Organic peroxide <input type="checkbox"/> Oxidizer (liquid, solid or gas) <input type="checkbox"/> Pyrophoric (liquid or solid) <input type="checkbox"/> Pyrophoric gas <input type="checkbox"/> Self-heating <input type="checkbox"/> Self-reactive	<input type="checkbox"/> Acute toxicity (any route of exposure) <input type="checkbox"/> Aspiration hazard <input type="checkbox"/> Carcinogenicity <input type="checkbox"/> Germ cell mutagenicity <input type="checkbox"/> Hazard Not Otherwise Classified (HNOC) <input type="checkbox"/> Reproductive toxicity <input type="checkbox"/> Respiratory or skin sensitization <input checked="" type="checkbox"/> Serious eye damage or eye irritation <input type="checkbox"/> Simple asphyxiant <input checked="" type="checkbox"/> Skin corrosion or irritation <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure)																					
Inventory	Storage Codes & Location																						
Max Daily Amt (lbs): 515 Max Daily Amt Code: 03 Avg Daily Amt (lbs): 515 Avg Daily Amt Code: 03 Max Amt in Largest Container (lbs): No of days onsite: 365	<table border="1"> <thead> <tr> <th>Container Type</th> <th>Pressure</th> <th>Temperature</th> <th>Storage Location</th> <th>Description</th> <th>Max Amt At Location(lbs)</th> </tr> </thead> <tbody> <tr> <td>[G]Carboy</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> <td>Degreasing near pickle tank</td> <td></td> <td>426</td> </tr> <tr> <td>[A]Above ground tank</td> <td>[1]Ambient pressure</td> <td>[5]Greater than ambient temperature</td> <td>Degreasing Room</td> <td></td> <td>89</td> </tr> </tbody> </table>	Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)	[G]Carboy	[1]Ambient pressure	[4]Ambient temperature	Degreasing near pickle tank		426	[A]Above ground tank	[1]Ambient pressure	[5]Greater than ambient temperature	Degreasing Room		89				
Container Type	Pressure	Temperature	Storage Location	Description	Max Amt At Location(lbs)																		
[G]Carboy	[1]Ambient pressure	[4]Ambient temperature	Degreasing near pickle tank		426																		
[A]Above ground tank	[1]Ambient pressure	[5]Greater than ambient temperature	Degreasing Room		89																		
SHIPMENT DETAILS																							
Mode of Shipment: Trucks Shipment Frequency Count: 2 Shipment Frequency Period: Year Physical State In Transit: Liquid	Maximum Capacity Per Vessel: 230 Maximum Shipment Quantity at One Time: Average Annual Shipment Quantity: 230 Routes of Travel: Oakhill Avenue West to Route 152 North to Maple Street East to O'Neil Boulevard North to East St to Facility	Carrier: Roberts Chemical Co. Carrier Address: 330-B Victor Road, Attleboro, MA 02703-508-409-0220 Carrier Phone: 508-409-0220 Carrier 24 Hr Phone: 800-424-9300																					

Tier II Emergency and Hazardous Chemical Inventory

Facility Name: LeachGarner Facility ID: 9300
Reporting Period From January 1, 2019 to December 31, 2019

Chemical Amount Range Code & Description		
#	Code	Amount Range
1	01	[01] 0-99
2	02	[02] 100-499
3	03	[03] 500-999
4	04	[04] 1,000-4,999
5	05	[05] 5,000-9,999
6	06	[06] 10,000-24,999
7	07	[07] 25,000-49,999
8	08	[08] 50,000-74,999
9	09	[09] 75,000-99,999
10	10	[10] 100,000-499,999
11	11	[11] 500,000-999,999
12	12	[12] 1,000,000-9,999,999
13	13	[13] 10,000,000- Greater than 10 million